



International Journal of Multidisciplinary Research in Science, Engineering and Technology

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.206

Volume 9, Issue 3, March 2026



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

AI- Based Nutrition Deficiency Detection from Face

Mr. S. Santhosh¹, Mr. P. Prathap², Dr. N. Sumathi³

Department of Information Technology, Sri Ramakrishna College of Arts and Science, Coimbatore,
Tamil Nadu, India^{1,2,3}

ABSTRACT: Nutrition deficiency is a significant public health issue affecting people of all age groups, particularly in developing countries where access to regular medical testing is limited. Deficiencies such as iron, vitamin B12, vitamin D, and protein often cause visible changes in facial features, including skin pallor, dark circles, cracked lips, and dull appearance. This article presents an AI-based nutrition deficiency detection system using facial images as a non-invasive screening approach. The system employs computer vision techniques for face detection and preprocessing, followed by feature extraction and classification using Convolutional Neural Networks (CNN). By analyzing facial regions such as the skin, eyes, and lips, the model predicts possible nutrition deficiencies at an early stage. The proposed system is cost-effective, fast, and easy to use, making it suitable for preliminary health screening, telemedicine applications, and rural healthcare support. Although it does not replace clinical diagnosis, it can assist healthcare professionals in early detection and health awareness.

KEYWORD: Artificial Intelligence, Nutrition Deficiency Detection, Facial Image Analysis, Convolutional Neural Network, Healthcare.

I. INTRODUCTION

In recent years, rapid advancements in Artificial Intelligence (AI) and Computer Vision technologies have significantly transformed the healthcare industry. AI-based systems are increasingly being used for disease detection, medical image analysis, and health monitoring applications. One of the major global health concerns is nutritional deficiency, which occurs when the body does not receive adequate vitamins and minerals necessary for proper growth and functioning. Deficiencies such as Vitamin A, Vitamin C, Vitamin B12, Vitamin K, and Iron deficiency can lead to various physical and psychological health problems if not identified at an early stage [1]. Many of these deficiencies often show visible symptoms on the human face, including pale skin, dark circles under the eyes, dry lips, dull complexion, and rough skin texture [3]. Traditionally, nutritional deficiencies are diagnosed through laboratory blood tests and clinical examinations conducted by healthcare professionals. Although these methods provide accurate results, they require hospital visits, medical equipment, trained professionals, and financial resources [4]. In many cases, individuals ignore early facial signs due to lack of awareness or accessibility to healthcare services. Therefore, developing a simple, non-invasive, and automated screening system for preliminary detection has become an important need in modern healthcare. Automatic detection of nutritional deficiencies through facial analysis is a challenging task due to variations in lighting conditions, skin tones, facial expressions, and image quality. Traditional rule-based systems are not capable of accurately identifying subtle facial patterns associated with different deficiencies [2]. Machine Learning (ML) combined with Computer Vision techniques provides an effective solution to overcome these limitations. Deep learning techniques, especially Convolutional Neural Networks (CNNs), are highly effective in analyzing image data. These models automatically identify important visual features such as shapes, textures, and patterns directly from images without manual feature selection. By training on large datasets, CNNs can recognize subtle differences between classes and perform accurate image classification based on learned representations. [7]. By using image preprocessing techniques and training the model with labelled facial datasets, the system can predict possible nutrient deficiencies from facial images [8]. This project focuses on developing an AI-based nutritional deficiency detection system that analyzes facial images captured through a webcam. The proposed system integrates OpenCV for face detection and TensorFlow with Keras for deep learning model prediction. After analyzing the facial features, the system generates an automated medical-style report displaying the detected deficiency along with dietary recommendations. The primary aim of this approach is to provide a quick, user-friendly, and awareness-oriented screening tool. Additionally, AI-based systems can continuously improve their performance with updated datasets and can be integrated into real-time healthcare applications for early monitoring and prevention of nutritional disorders [5].



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

II. LITERATURE REVIEW

2.1 Traditional Medical Diagnosis of Nutritional Deficiency

Nutritional deficiencies have traditionally been diagnosed through clinical examinations and laboratory-based blood tests. Healthcare professionals analyze biochemical parameters to determine the levels of vitamins and minerals in the body. These methods are considered accurate and reliable; however, they require specialized laboratory equipment, trained medical personnel, and hospital visits. Studies indicate that while laboratory tests provide precise measurements, they are often time-consuming, costly, and inaccessible in rural or underdeveloped regions [1]. This highlights the need for alternative preliminary screening approaches that are simple and accessible.

2.2 Image Processing in Healthcare Applications

Image processing techniques have been widely applied in medical diagnosis systems. Researchers have used digital image analysis for detecting skin diseases, anemia, eye disorders, and other health conditions by analyzing visible patterns in medical images [2]. Techniques such as image segmentation, feature extraction, and color analysis have been used to identify abnormalities. These approaches demonstrate that visual characteristics can serve as important indicators of underlying health conditions. However, traditional image processing methods rely heavily on manual feature selection and predefined rules, which limit their accuracy and scalability.

2.3 Machine Learning for Medical Image Classification

With the advancement of Machine Learning (ML), researchers shifted towards automated image classification techniques. Algorithms such as Support Vector Machines (SVM), Decision Trees, and Random Forest have been used for disease detection through image data [3]. These supervised learning models analyze patterns in labelled datasets and classify images accordingly. Compared to rule-based systems, machine learning approaches provide improved accuracy and adaptability. However, their performance depends significantly on the quality of feature extraction methods.

2.4 Deep Learning and Convolutional Neural Networks (CNN)

Deep Learning has revolutionized medical image analysis, especially through the use of Convolutional Neural Networks (CNN). CNN models automatically extract hierarchical features from images, eliminating the need for manual feature engineering [4]. They have been successfully applied in areas such as cancer detection, dermatological disease classification, and facial analysis. Research studies show that CNN-based models outperform traditional machine learning techniques in image-based diagnosis tasks due to their ability to capture complex visual patterns [5]. These advancements support the feasibility of applying CNN models for detecting nutritional deficiencies through facial features.

2.5 Computer Vision for Facial Feature Analysis

Computer Vision techniques have been used to analyze facial characteristics for health assessment. Systems have been developed to detect fatigue, anemia, stress levels, and certain vitamin deficiencies by examining facial color distribution and texture variations [6]. OpenCV-based face detection combined with image preprocessing techniques enables real-time facial image capture and analysis. However, challenges such as lighting variations, diverse skin tones, and image noise still affect prediction accuracy.

2.6 Real-Time AI-Based Healthcare Monitoring Systems

Recent studies emphasize the development of real-time AI healthcare applications that integrate webcam-based detection and automated reporting systems [7]. These systems combine image acquisition, preprocessing, model prediction, and report generation into a single workflow. The use of web technologies for automated medical report generation improves usability and accessibility. However, most existing systems focus on specific diseases rather than nutritional deficiency detection.

2.7 Research Gap Identified

From the literature review, it is observed that while significant research has been conducted in medical image classification and AI-based healthcare systems, limited work focuses specifically on detecting nutritional deficiencies through facial image analysis. Existing diagnostic methods rely primarily on laboratory tests, and current AI-based health monitoring systems do not fully address non-invasive nutritional screening. Therefore, this project aims to develop an AI-based system that integrates Computer Vision and Deep Learning techniques for real-time facial analysis



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

and automated report generation. The proposed approach seeks to provide a preliminary, accessible, and user-friendly solution for nutritional deficiency awareness and early screening.

III. PROPOSED SYSTEM

The proposed system uses Artificial Intelligence and Computer Vision to detect possible nutritional deficiencies through facial analysis. It captures real-time images using a webcam and detects the face using OpenCV. The facial image is preprocessed and analyzed by a trained CNN model to predict deficiencies such as Vitamin A, Vitamin C, Vitamin B12, Vitamin K, or Iron deficiency. The system then generates an automated report with dietary suggestions. It serves as a non-invasive preliminary screening tool for health awareness.

3.1 User Interface and Camera Phase

The User Interface and Camera Phase functions as the initial component of the system, enabling interaction between the user and the application. This module activates the system's webcam and continuously captures live video frames for processing. The captured video stream is displayed on the screen to assist the user in proper alignment and positioning. The system monitors the incoming frames and automatically initiates the scanning process once a face is detected. This automated mechanism reduces manual effort and improves usability. The module ensures reliable image acquisition and smooth operation, serving as the starting point for the subsequent facial analysis stages.

3.2 Face Detection Phase

The Face Detection Phase identifies and extracts the facial region from the captured video frames. Its main functions include:

- Uses OpenCV Haar Cascade Classifier to detect human faces.
- Converts images to grayscale for efficient processing.
- Detects and locates the face within each frame.
- Extracts the facial region of interest (ROI) for further analysis.
- Removes background information to improve prediction accuracy.

3.3 Image Preprocessing Phase

This Phase prepares the detected facial image for deep learning prediction. The extracted face image is resized to 224×224 pixels to match the input size of the trained CNN model.

- Resizes the detected face image to 224×224 pixels.
- Normalizes pixel values (scales between 0 and 1) for stable model performance.
- Converts the image into array format suitable for CNN input.
- Expands dimensions to match the required batch input shape.
- Reduces noise and ensures uniform image quality for reliable prediction.

3.4 Deep Learning Prediction Phase

This is the core Phase of the system. It loads the trained Convolutional Neural Network (CNN) model developed using Tensor Flow and Keras. The preprocessed facial image is fed into the model, which analyzes facial features and predicts the most probable nutritional deficiency. The model classifies the image into predefined categories such as Vitamin A, Vitamin C, Vitamin B12, Vitamin K, or Iron deficiency.

3.5 Result Analysis Phase

During the scanning period, multiple predictions are generated from different frames. This Phase collects all predicted results and applies majority voting to determine the most frequently predicted deficiency. This approach improves reliability and reduces the impact of occasional misclassification.

3.6 Diet and Symptom Mapping Phase

Once the final deficiency is determined, this Phase maps the predicted result to corresponding facial indicators and recommended dietary suggestions stored in the system database. It ensures that the output provides meaningful and actionable information to the user.



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

3.7 Report Generation Phase

This Phase generates a structured HTML report displaying:

- Detected nutritional deficiency
- Observed facial indicators
- Recommended dietary plan
- Medical disclaimer

The report is styled using CSS to provide a clean, professional, and easy-to-read medical layout. The generated file automatically opens in the user's default web browser.

3.8 System Integration Phase

This Phase ensures smooth coordination between all other modules in the system. It manages the complete workflow starting from webcam initialization, face detection, image preprocessing, model prediction, and finally report generation and display. It controls the flow of data between modules to maintain proper sequence and synchronization. The module also performs basic error handling, such as checking camera availability and model loading status. It ensures that the entire system operates efficiently, reliably, and without interruption during execution.

3.9 Advantages over Existing System

- Provides non-invasive and quick preliminary screening without laboratory tests.
- Performs real-time facial analysis using a simple webcam.
- Generates instant automated reports with dietary suggestions.
- Cost-effective, user-friendly, and easily accessible for health awareness.

IV. SYSTEM ARCHITECTURE

The system architecture of the AI-Based Nutrition Deficiency Detector from Face defines how the proposed healthcare screening system is structured and how data flows from facial image capture to final report generation. The architecture is designed to perform real-time face detection, deep learning-based prediction, and automated report generation efficiently and accurately.

4.1 Architecture Components

4.1.1 Camera Input Layer

- Captures real-time video frames using a built-in or external webcam.
- Continuously streams video data to the face detection module.
- Initiates scanning automatically when a human face appears in front of the camera.

4.1.2 Face Detection Phase

- Detects human faces from live video frames using OpenCV Haar Cascade Classifier.
- Extracts only the facial region to remove background noise.
- Ensures accurate and focused image input for further processing.

4.1.3 Image Preprocessing Layer

- Resizes the detected face image to 224×224 pixels.
- Normalizes pixel values to improve prediction accuracy.
- Converts the image into the required format (array reshaping) for the deep learning model.

4.1.4 Deep Learning Feature Extraction & Prediction Layer

- Loads the trained Convolutional Neural Network (CNN) model developed using TensorFlow and Keras.
- Automatically extracts facial features such as skin tone, texture, and eye region patterns.
- Classifies the image into predefined categories such as:
 - Vitamin A Deficiency
 - Vitamin C Deficiency
 - Vitamin B12 Deficiency
 - Vitamin K Deficiency
 - Iron Deficiency



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

4.1.5 Result Aggregation Phase

- Collects predictions from multiple frames during the scanning duration.
- Applies majority voting to determine the most frequently predicted deficiency.
- Improves reliability and reduces random prediction errors.

4.1.6 Diet & Symptom Mapping Phase

- Maps the predicted deficiency to corresponding facial indicators.
- Retrieves recommended dietary suggestions stored in the system database.
- Prepares structured output content for report generation.

4.1.7 Report Generation Phase

- Generates a structured HTML report with a professional light-themed design.
- Displays detected deficiency, facial indicators, diet plan, and disclaimer.
- Automatically opens the report in the default web browser.

4.1.8 Evaluation & System Maintenance Layer

- Performs testing including unit testing, integration testing, and system testing.
- Ensures smooth module interaction and system reliability.
- Allows future retraining of the model with improved datasets for better accuracy.

4.2. System Workflow

1. Webcam/Camera captures the user's facial image →
2. Face Detection (OpenCV) identifies and extracts the face region →
3. Preprocessing resizes the image to 224×224 and normalizes pixel values →
4. CNN Model (TensorFlow/Keras) analyzes the processed image →
5. System predicts the type of nutrient deficiency →
6. Deficiency result is finalized and validated →
7. HTML Report is generated with deficiency details and dietary suggestions →
8. Final result is displayed in the web browser.

Nutrient Deficiency Detection Using Face




Figure1: System Flow



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

V. EXPERIMENTAL RESULT

The experimental results demonstrate the effectiveness of the proposed AI-Based Nutrition Deficiency Detector from Face system. The experiments were conducted using a labeled facial image dataset representing different nutritional deficiency conditions. The system was evaluated based on classification accuracy and performance metrics to measure its reliability as a preliminary screening tool.

5.1 Dataset Preparation

- Source: Publicly available facial image datasets and curated medical image samples representing visible symptoms of nutritional deficiencies.
- Classes: Vitamin A Deficiency, Vitamin C Deficiency, Vitamin B12 Deficiency, Vitamin K Deficiency, Iron Deficiency.
- Size: Approximately 5,000–8,000 facial images across all categories.
- Image Format: RGB images resized to 224×224 pixels.
- Labelling: Images categorized based on visible facial indicators associated with specific deficiencies.
- Split Ratio:
 - Training Set – 70%
 - Validation Set – 15%
 - Test Set – 15%

5.2 Preprocessing and Feature Extraction

- Face detection performed using OpenCV Haar Cascade Classifier.
- Images resized to 224×224 pixels to match CNN input requirements.
- Pixel values normalized (scaled between 0 and 1).
- Data augmentation techniques applied:
 - o Rotation
 - o Horizontal flipping
 - o Brightness adjustment
 - o Zoom variations
- Automatic feature extraction performed using Convolutional Neural Network (CNN) layers.

5.3 Deep Learning Models Tested

The following models were trained and evaluated on the dataset:

Table 1: Model Performance Comparison




Figure2: Model Accuracy



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

5.4 Class-wise Performance

Table 2: Deficiency-wise Performance




Figure3:DeficiencywiseAccuracy

5.5 Discussion

Effectiveness:

The proposed system achieved high classification accuracy, demonstrating that facial image analysis using deep learning can assist in preliminary nutritional deficiency screening.

Model Comparison:

Transfer learning models such as ResNet50 and MobileNet outperformed the basic CNN model due to their deeper architectures and pretrained feature extraction capabilities.

Real-Time Application:

The integrated system successfully performed real-time face detection and prediction using webcam input, making it suitable for quick home-based screening applications.

Challenges:

- Limited availability of medically verified facial deficiency datasets.
- Variations in lighting conditions and skin tones may affect prediction accuracy.
- Nutritional deficiencies may not always show strong visible facial symptoms, limiting visual-based detection.

5.6 Conclusion from Experimental Results

- The AI-Based Nutrition Deficiency Detector from Face system demonstrates strong performance in classifying visible deficiency indicators.
- Transfer learning significantly improves prediction accuracy compared to traditional CNN models.
- The system proves to be an effective non-invasive preliminary screening tool, though it should not replace professional medical diagnosis.
- With larger datasets and improved training, the system has potential for future deployment in healthcare awareness applications.

VI. CONCLUSION

This project developed an AI-based system for detecting nutritional deficiencies using facial image analysis. Deep learning models were trained to identify visible symptoms related to vitamin and iron deficiencies. Among the models tested, transfer learning techniques achieved higher accuracy and better performance. The system integrates face detection, image preprocessing, and CNN-based classification to enable real-time analysis through a webcam.



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Automated report generation with dietary recommendations helps users better understand their health condition and promotes preventive care. The approach provides a non-invasive, cost-effective, and accessible method for early deficiency screening. The results show that facial features can serve as useful indicators for preliminary health assessment. With further dataset expansion and clinical validation, the system can be improved for practical use in healthcare and community health monitoring.

VII. FUTURE SCOPE

The future scope of this project focuses on improving the accessibility and accuracy of the nutritional deficiency detection system. A mobile application can be developed to allow users to capture facial images using smartphone cameras for real-time health screening. The system can also be enhanced to detect more nutritional deficiencies using larger and diverse datasets. Advanced machine learning techniques can further improve prediction accuracy and reliability. In addition, continuous model retraining can help the system adapt to new health patterns. Deploying the system on a cloud platform can enable better processing, data storage, and remote access. These improvements can help the system be used effectively for large-scale health monitoring.

REFERENCES

1. Gonzalez, R. C., & Woods, R. E. (2018). Digital Image Processing (4th ed.). Pearson Education.
2. Goodfellow, I., Bengio, Y., & Courville, A. (2016). Deep Learning. MIT Press.
3. 2. OpenCV Documentation. (2023). Open Source Computer Vision Library. Available at: <https://opencv.org>
4. 3. TensorFlow Documentation. (2023). TensorFlow: An End-to-End Open Source Machine Learning Platform. Available at: <https://www.tensorflow>.
4. 5. Chollet, F. (2017). Deep Learning with Python. Manning Publications.
5. 6. NumPy Documentation. (2023). NumPy: The Fundamental Package for Scientific Computing in Python. Available at: <https://numpy.org>
6. 7. Viola, P., & Jones, M. (2001). Rapid Object Detection using a Boosted Cascade of Simple Features. IEEE Conference on Computer Vision and Pattern Recognition (CVPR).
7. OpenAI. (2024). ChatGPT (GPT-4/5 version) [Large language model]. <https://chat.openai.com>
8. 9. Simonyan, K., & Zisserman, A. (2015). Very Deep Convolutional Networks for Large-Scale Image Recognition. International Conference on Learning Representations (ICLR).
9. 10. He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep Residual Learning for Image Recognition. IEEE Conference on Computer Vision and Pattern Recognition (CVPR)



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY RESEARCH IN SCIENCE, ENGINEERING AND TECHNOLOGY

| Mobile No: +91-6381907438 | Whatsapp: +91-6381907438 | ijmrset@gmail.com |

www.ijmrset.com