



International Journal of Multidisciplinary Research in Science, Engineering and Technology

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.206

Volume 8, Issue 6, June 2025



**International Journal of Multidisciplinary Research in
Science, Engineering and Technology (IJMRSET)**
(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Analysis and Design of Multistorey Apartment Building by using Staad Pro

Madichetty Anuradha¹, P Hruthish², P Ganesh³, P Vignesh⁴

Asst. Professor, Dept. of CIVIL, Guru Nanak Institutions Technical Campus, Ranga Reddy,
Telangana, India¹

UG Student, Dept. of CIVIL, Guru Nanak Institutions Technical Campus, Ranga Reddy, Telangana, India^{2,3,4}

ABSTRACT: In India, these days there is a large increase in population, which leads to an increase in the usage of land for the upcoming generation so that nowadays several stories in a small area are being constructed. So that less place is consumed to give livelihood for several families. The construction of more buildings in a small area so that place consumption is reduced, which is a very complex process, that takes more time. To reduce the time and complex calculation, a defined path should be adopted. This is where the STAAD.pro helps to complete the project in less time. The main objective of this project is the design and analysis of a multi-storied apartment G+10 using STAAD.pro.

KEYWORDS: Staad.pro, multi-storied, building, structural analysis.

I. INTRODUCTION

STAAD Pro is structural software accepted by much civil engineering. Which can solve typical problems like wind analysis and seismic analysis using various load combinations to confirm various codes like IS456:2000, 1893:2002, IS875:1987, etc. Few standard problems have also been solved to show how “STAAD. Pro” can be used in different cases. These typical problems have been solved using basic concepts of loading, analysis, and condition as per IS code. These basic techniques may be found useful for further analysis of problems. STAAD Pro features a state-of-the-art user interface, visualization tools, and powerful analysis and design engines with advanced finite element and dynamic analysis capabilities. From model generation, analysis, and design to visualization and result verification, STAAD Pro is the professional’s choice for steel, concrete, timber, aluminium, and cold-formed steel design of low- and high-rise buildings, culverts, petrochemical plants, tunnels, bridges, piles, and much more. To perform an accurate analysis, a structural engineer must determine information as structural loads, geometry, support conditions, and material properties. The results of such an analysis typically include support reactions, stresses, and displacements. This information is then compared to criteria that indicate the conditions of failure. Advanced structural analysis may examine dynamic response, stability, and non-linear behavior. Few standard problems have also been solved to show how “STAAD. Pro” can be used in different cases. These typical problems have been solved using basic concepts of loading, analysis, and condition as per IS code. These basic techniques may be found useful for further analysis of problems.

II. LITERATURE REVIEW

Anoop(2016): STAAD.Pro graphical input generation facility allows generation of structural models graphically. A powerful geometry generation algorithm facilitates generation and viewing of structural models both 2D and 3D situations. All other specifications like section properties, material constants, support load, analysis and design requirements, printing, plotting facilities are available. A versatile “query” facility allows generation of customized reports. Powerful icons-based graphics tools provide extremely user-friendly navigation and manipulation capabilities

V.Varalakshmi: The design and analysis of multi-storeyed G+5 building at Kukatpally, Hyderabad, India. The Study includes design and analysis of columns, beams, footings and slabs by using well known civil engineering software named as STAAD.PRO. Test on safe bearing capacity of soil was obtained.

P.Jayachandran: The design and analysis of multi-storeyed G+4 building at Salem, Tamilnadan, India. The study includes design and analysis of footings, columns, beams and slabs by using two Within the construction industry the last twelve years have seen an increased interest in the study of the environmental impact of building materials on the



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

environment. The research has centred on the determination of embodied energy of particular building materials and the life cycle impacts of materials and systems on the environment.

III. METHODOLOGY OF PROPOSED SURVEY

structural design for framed R.C.C structure can be done by three methods:

1. Working stress method.
2. Ultimate strength method.
3. Limit state method.

1. **Working stress method:** It is earliest modified method of R.C.C structures. In this method structural element is so designed that the stress resulting from the action of services load as computed in linear elastic theory using modular ratio concept do not exceed a pre-designed allowable stress which is kept as some fraction of ultimate stress, to avail a margin of safety. Since this method does not utilize full strength of the material it results in heavy section, the economy aspect cannot be fully utilized in the method.


2. **Ultimate strength method:** This method is primarily based on strength concept. In this method the structural element is proportioned to withstand the ultimate load, which is obtained by enhancing the service load of some factor referred to as load factor for giving desired margin of safety. Since this method is based on actual stress strain behaviour of the material, of the member as of the structure that too right up to failure, the values calculated by this method agree well the experiment results

3. **Limit state method:** During the past several years, extension research works have been carried out on the different aspects of the research in the actual behaviour of member and structure has led to the development of design and approach of LIMIT STATE METHOD OF DESIGN. Limit state design, also known as load and resistance factor design, refers to a design method used in structural engineering. A limit state is a condition of a structure beyond which it no longer fulfils the relevant design criteria.

IV. CONCLUSION AND FUTURE WORK

Column A column or strut is a compression member, which is used primarily to support axial compressive loads and with a height of at least three times its least lateral dimension. A reinforced concrete column is said to be subjected to axially loaded when the line of the resultant thrust of loads supported by the column coincides with the line of C.G. of the column in the longitudinal direction. Depending upon the architectural requirements and the loads to be supported, R.C.C. column may be cast in various shapes i.e. square, rectangular, hexagonal, octagonal or circular. Column of ell-shaped or tee-shaped are also sometimes used in column help to bear the load in combination with the concrete. The longitudinal bars are held in position by transverse reinforcement, or lateral binders. The binders prevent displacement of the longitudinal bars during concreting operation and also check the tendency of their buckling outwards under loads.

Then select add beam-finish.




- Click on geometry-open run structure wizard-select shape-model type-frame model-select bay frame click on apply.




International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)


Select transfer model to work space---yes---ok.




Select general-select material as concrete --- assign it to assign to view.



- Using cut section cut single bay to draw stair case – Draw stair case using insert nodes by selecting beams on the single bay and add beam , adding 4 noded plate to the stair case added beams.
- Using plate and beam cursor select the respective beams and plates drawn for single bay – copy to all floors using translation repeat – y direction – number of stories – link steps – ok.




- Select property-click on define-select property type- rectangular beam size 0.3*0.3m-rectangular column size 0.45*0.3m-click ok.
- Click on thickness-select plate element thickness- 0.15 m-click on material type- concrete.
- Assign the beam property to the respective beams in x and z directions by selecting in select command.
- Assign column property to the respective column in y direction by selecting columns in select command – assign to selected columns – ok.
- Similarly assign plate i.e. slab thickness to assign to view.
- We can verify weather the properties are assigned or not in 3d rendering view.




International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)


(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)




- Click on supports-click on create-then support type –fixed-click on close. Select support type-keep the structure in front view-And give the selected support.



- Click on load and deflection and add all required loads and define them as per IS code provisions. Click on 3d render view.



- After completion of adding all loads and material to the structure analyze the structure using run analysis.



- Check for Zero errors and note results.




International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

V. BEAM DESIGN

Wind Beams are designed for flexure, shear and torsion. If required the effect of the axial force may be taken into consideration. For all these forces, all active beam loadings are pre-scanned to identify the critical load cases at different sections of the beams. For design to be performed as per IS: 13920 the width of the member shall not be less than 200mm. Also the member shall preferably have a width-to-depth ratio of more than 0.3.



REFERENCES

1. Mr. A. P. Patil, Mr. A. A. Choudhari 2017, Design & Analysis of Multi Storeyed Building (G+10) By Using Stadd Pro, International Journal of Advanced Engineering, Management and Science (IJAEMS) [Vol-3, Issue-3]
2. Deevi krishna chaitanya, & Santhosh kumar 2017, Analysis and design of a (g + 6) multi storey residential building using staad pro, AIJREAS vol 2, (ISSN-2455-6300)
3. Aman, Manjunath Nalwadgi 2016, Analysis and design of multistorey building by using STAAD Pro, (IRJET) Volume: 03
4. K Venu manikanta , dr. Dumpa venkateswarlu 2016, Comparative study on design results of a multi storied building using staad pro and etabs for regular and irregular plan configuration. International Journal of Research Sciences and Advanced Engineering volume 2 .
5. Mahendra pratap singh, gopinath s 2017, Analysis and design of residential building with transfer slab, Jr. of Industrial Pollution Control 33 pp 1319-1322
6. Arvind kumar gupta, mirza aamir baig. Comparison and analysis of multistoried r.c.c.building in different seismic zones, ISSN: 2454 132X Impact factor: 4.295 (Volume3, Issue4)
7. Aakash saxena, s s kushwah. Static analysis of g+2 institutional building in Bhopal, Int. Journal of Engineering Research and Applications ww.ijera.com ISSN: 2248-9622, Vol. 5, Issue 8, (Part - 5)
8. R.D.Deshpande, manoj. N. Pai 2017, Analysis, design and estimation of basement+g+2 residential building International Research Journal Engineering and Technology (IRJET) volume 4.
9. Voddineni Praveen, Jangam Mahesh Kumar 2017, Design And Analysis Of Multistoried Residential Building Using Staad Pro, International Journal of Research e-ISSN: 2348-6848 p-ISSN: 2348-795X Volume 04.
10. Narendra kumar adapa, Static analysis and design of multi- storied (g+4) residential building using staad-pro, ijtir ISSN 2348-2370 Vol.09, Issue.03, March-2017.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY RESEARCH IN SCIENCE, ENGINEERING AND TECHNOLOGY

| Mobile No: +91-6381907438 | Whatsapp: +91-6381907438 | ijmrset@gmail.com |

www.ijmrset.com