



International Journal of Multidisciplinary Research in Science, Engineering and Technology

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.206

Volume 9, Issue 3, March 2026



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Waste-To-Watts: Electricity Generation using Waste

Walke Aniket Ravsaheb, Kolpe Kunal Prakash, Malokar Pranay Jagdish, Sayyed Saniya Faruk,
Prof.G.V.Gavhane

Department Mechatronics, Sanjivani K.B.P.Polytechnic, Kopargaon, Ahmednagar, India

ABSTRACT: Electricity generation by burning waste materials, also known as thermal waste-to-energy, is a process that involves converting waste materials into electricity by burning them in a combustion chamber. This process is a sustainable solution for waste management as it reduces the volume of waste sent to landfills while producing renewable energy. The methodology for electricity generation by burning waste materials typically involves waste collection, handling, and preparation, incineration, energy recovery, and ash management. The generated electricity can be used to power local communities or industries or fed back into the national grid. The process of electricity generation by burning waste materials provides a reliable source of electricity while reducing greenhouse gas emissions by avoiding the release of methane gas from landfills. Overall, electricity generation by burning waste materials is a promising solution for waste management and renewable energy production. However, it is important to carefully consider the potential benefits and drawbacks of this method and to ensure that appropriate regulations and technologies are in place to minimize any negative environmental impacts.

KEYWORDS: Waste-to-Energy, Renewable Energy, Electricity Generation, Biogas, Incineration, Sustainable Development.

I. INTRODUCTION

Waste-to-Energy (WtE) system is a modern technology that converts waste materials into useful energy such as electricity or heat. It helps in effective waste management while reducing environmental pollution. In this system, waste is heated in a controlled chamber to produce thermal energy. The generated heat is used to produce steam, which drives a turbine connected to a generator for electricity production. To minimize air pollution, smoke and carbon absorbers are used, and sensors continuously monitor temperature and pressure for safe and efficient operation. Waste-to-Energy systems play an important role in sustainable energy generation and environmental protection.

II. LITERATURE REVIEW :

1. "Waste-to-Energy: A Review of the Current Technology and Future Challenges" – Sharholy et al. (2018)

This paper provides a comprehensive review of various WTE technologies such as incineration, gasification, and anaerobic digestion. The authors highlight the growing global interest in using waste as a source of energy and identify challenges like cost, emissions, and waste segregation. Relevance: Establishes a solid foundation for understanding current WTE technologies and their applications.

2. "Electricity Generation from Municipal Solid Waste: A Techno-economic Assessment" – Kalyani & Pandey (2014)

This study evaluates the economic feasibility of generating electricity from municipal solid waste in urban India. It discusses waste composition, calorific value, and cost of power generation using incineration.

Relevance: Highlights the importance of local waste characteristics and economic factors in WTE project planning.

3. "Comparative Study of Anaerobic Digestion and Incineration for Energy Recovery from Organic Waste" – Zhang et al. (2016)

The authors compare anaerobic digestion and incineration based on energy output, efficiency, and environmental impact. Anaerobic digestion was found more suitable for organic-rich waste.

Relevance: Supports selection of appropriate technology based on waste type.

4. "Renewable Energy from Waste: A Case Study of Biogas Production from Food Waste" – Yadvika et al. (2013)



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

This research focuses on the production of biogas from food waste using small-scale anaerobic digesters. Results showed high biogas yield and energy recovery potential.

Relevance: Demonstrates the viability of decentralized biogas systems for small communities or institutions

III. METHODOLOGY

The first step before the project implementation was to review The project scope and research area. Then the next task was to Design the mechanical structure and electrical structure of the conveyor belt which is to be built. Then, if all the design had been finalized, the implementations of the hardware and the circuitry took place. Reaching the pick of the project, the programming segment Took place especially for the heating waste output, heating

sensor sensing process and Output to the LED Bulb glow for. Last But not least, certain modification on the circuitry and soft-Ware took place in order to make the system perform in finer Movements. Thus, troubleshooting process also took place to Correct certain faulty processes while the system was performing its task.

After the text edit has been completed, the paper is ready for the template. Duplicate the template file by using the Save As command, and use the naming convention prescribed by your conference for the name of your paper. In this newly created file, highlight all of the contents and import your prepared text file. You are now ready to style your paper; use the scroll down window on the left of the MS Word Formatting toolbar.




figure 1. Block diagram

IV. WORKING PROCESS

- 1) Waste Reception and Handling: Garbage trucks deliver municipal solid waste (MSW) to an enclosed facility. The waste is dumped into a large pit where cranes mix and feed it into a combustion chamber. A negative air-pressure system in the receiving area prevents odors and dust from escaping.
- 2) Combustion: The waste is burned in a large furnace. The controlled burning process releases heat, which is the key to the next step. To ensure a more complete and efficient burn, the waste is often agitated on a moving grate. The combustion process can reduce the volume of the waste by up to 90%.
- 3) Steam Generation: The intense heat from the burning waste is used to boil water in a large boiler. This process creates high-pressure, superheated steam.
- 4) Power Generation: The high-pressure steam is directed into a steam turbine, which is a type of engine with a series of blades on a rotor. The force of the steam pushes against the blades, causing the rotor to spin rapidly. This rotational motion (kinetic energy) is then transferred to a generator, which converts the mechanical energy into electrical energy.
- 5) Condensation and Reuse: After passing through the turbine, the steam has a much lower pressure and temperature. It's then cooled and condensed back into water in a condenser. This water is then pumped back to the boiler to be reheated, completing the steam cycle.
- 6) Emissions Control and Ash Handling: Before the exhaust gases (flue gases) are released into the atmosphere, they are treated to remove pollutants like sulfur oxides, nitrogen oxides, and particulates. This is done using technologies such as scrubbers and baghouses. The remaining solid waste, known as ash, is collected. Metals are often separated from the ash for recycling, and the rest can be used for things like road construction.



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Figure 2 .Waste To Watts Model

Table :

Sr.No.	Weast Material In Kg	Electricity Generate In volt
1	1.5	8
2	3	16
3	4.5	24

V. WORKING PRINCIPLE

The waste is first fed into a hopper, where it is separated into useful and non-useful materials. Useful carbon content is extracted and used for carbon ink production. The remaining waste is sent to a water boiler, where heat converts water into high-pressure steam. This steam rotates a steam turbine, which drives a motor/generator to produce electricity that can be stored in a battery. Pressure and temperature sensors continuously monitor the system for safe operation. Exhaust gases pass through smoke and carbon absorbers to reduce pollution, and the solid residue is reused as road construction material.

1)Waste Heating Chamber

The Waste Heating Chamber is the main part of a waste-to-energy system. In this chamber, solid waste such as garbage, biomass, or industrial waste is burned or heated at high temperature in a controlled manner.

When waste is heated, it releases thermal energy (heat). This heat is then transferred to the water boiler to produce steam. The chamber is designed to withstand very high temperatures and is fitted with a temperature sensor to continuously monitor the heat level and ensure safe operation.

Harmful gases and smoke produced during heating are sent to smoke and carbon absorbers, which reduce pollution before releasing gases into the atmosphere.

2) Heating sensor

The primary purpose of a heating sensor is to find out where the heat is in the system. A heat sensor's primary function is to detect the heat that is present around it. Overheating causes the temperature around the heat sensor to rise above its predetermined level, at which point it detects the heat and provides a warning with the help of a glowing LED so that we can safeguard .



Figure 3 . Temperature Heating Sensor



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

VI. CONCLUSION

This paper highlights future sustainability. A steady supply of affordable, clean, and renewable energy sources with little harm to society or the environment is a major concern. In this project, we demonstrate how to successfully generate electricity from waste materials. After finishing our project, we checked to see if everything was operating as intended. Everything went smoothly, and the project successfully demonstrated how to successfully generate electricity from waste materials. The main objectives of waste to energy are the reduction of greenhouse gas emissions and the creation of fossil fuel alternatives. Additionally, the creation of small, inexpensive, yet highly effective technology is necessary, along with the best method for getting rid of or using filter ashes and other leftovers from air pollution control devices.

REFERNCES

1. World Bank (2018). What a Waste 2.0: A Global Snapshot of Solid Waste Management to 2050. <https://openknowledge.worldbank.org>
2. International Renewable Energy Agency (IRENA) (2019). Renewable Energy in the Waste Sector. <https://www.irena.org>
3. United Nations Environment Programme (UNEP) (2019). Waste to Energy: Considerations for Informed Decision-making. <https://www.unep.org>
4. U.S. Environmental Protection Agency (EPA) (2021). Energy Recovery from the Combustion of Municipal Solid Waste (MSW). <https://www.epa.gov>
5. IEA Bioenergy (2020). Waste-to-Energy Technologies: Status and Outlook. <https://www.ieabioenergy.com>
6. European Commission (2017). Waste to Energy - Technical, Environmental and Economic Aspects.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY RESEARCH IN SCIENCE, ENGINEERING AND TECHNOLOGY

| Mobile No: +91-6381907438 | Whatsapp: +91-6381907438 | ijmrset@gmail.com |

www.ijmrset.com