






International Journal of Multidisciplinary Research in Science, Engineering and Technology

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 9.864

Volume 9, Issue 9, September 2026



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Endometrics: Concepts and Clinical Significance of Working Length Determination

**Dr Subreena, Prof (Dr) Harpreet Singh, Dr Mariyam Efa Abdul Gafoor, Dr Gursandeep Kaur,
Dr Bharat Bhushan, Dr Mohit Chaudhari, Dr Palvi Dev, Dr Sandeep Kumar**

PG Student, Dept. of Conservative Dentistry & Endodontics, Desh Bhagat Dental College and Hospital, Mandi
Gobindgarh, Punjab, India

Dean Research, Professor & Head, Dept. of Conservative Dentistry & Endodontics, Desh Bhagat Dental College and
Hospital, Mandi Gobindgarh, Punjab, India

Consultant Endodontist, Dharumavantha Hospital, Maldives

Professor, Dept. of Conservative Dentistry & Endodontics, Desh Bhagat Dental College and Hospital, Mandi
Gobindgarh, Punjab, India

PG Student, Dept. of Conservative Dentistry & Endodontics, Desh Bhagat Dental College and Hospital, Mandi
Gobindgarh, Punjab, India

PG Student, Dept. of Conservative Dentistry & Endodontics, Desh Bhagat Dental College and Hospital, Mandi
Gobindgarh, Punjab, India

PG Student, Dept. of Conservative Dentistry & Endodontics, Desh Bhagat Dental College and Hospital, Mandi
Gobindgarh, Punjab, India.

PG Student, Dept. of Conservative Dentistry & Endodontics, Desh Bhagat Dental College and Hospital, Mandi
Gobindgarh, Punjab, India

ABSTRACT: Working length determination is a fundamental component of root canal treatment because it defines the apical extent of instrumentation, irrigation and obturation. Accurate working length aims to permit effective debridement and shaping while minimising unnecessary injury to the periapical tissues. The concept has evolved from predominantly tactile and radiographic approaches to the routine use of electronic apex locators, supported by radiographic assessment when indicated. This review discusses the anatomical basis of working length, biological and mechanical principles, conventional and contemporary methods of determination, and the clinical consequences of inaccurate measurements. Contemporary evidence supports electronic apex locators as a reliable method, while radiography remains valuable for assessing root and canal anatomy and for confirming measurements in selected situations. A clinically appropriate working length should therefore be established by integrating the electronic measurement with anatomical, radiographic and clinical findings rather than relying on a single method.

KEYWORDS: apical constriction; endometrics;; electronic apex locator; radiography; root canal treatment; working length

I. INTRODUCTION

Successful root canal treatment depends on effective microbial control through appropriate cleaning, shaping and obturation of the root canal system. Working length (WL) is the distance from a reproducible coronal reference point to the apical point at which canal preparation and filling should terminate. Because the apical anatomy is highly variable,



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

determining this length is not simply a measurement of the radiographic root length; it is a clinical decision that must account for the three-dimensional anatomy of the apical canal and the relationship between the apical foramen and apical constriction.[1-3]

Inadequate WL may result in incomplete instrumentation of the apical portion of the canal, while excessive instrumentation may cause extrusion of infected debris, irrigants or filling materials and may traumatize the periapical tissues. Clinical outcome studies have also demonstrated an association between the extent of root filling and treatment outcome.[4-6]

II. DEFINITION OF WORKING LENGTH

Working length may be defined as the distance from a coronal reference point to the apical point at which canal preparation and obturation should terminate. In clinical practice, the apical constriction is commonly used as the intended biological and mechanical endpoint because it represents a narrow portion of the apical canal and is generally located coronal to the apical foramen.

However, its exact location cannot be identified directly and consistently by conventional radiography; therefore, WL determination requires an integrated clinical approach.

1. Anatomical Concept of Working Length

The apical third of the root canal is anatomically complex. The principal anatomical landmarks include the radiographic apex, apical foramen, apical constriction and cementodentinal junction.

The apical foramen frequently does not coincide with the anatomical apex, and the apical constriction may vary considerably in shape and position. Consequently, a fixed subtraction from the radiographic apex should be regarded as a practical approximation rather than an absolute anatomical rule.

The principal anatomical landmarks relevant to working length determination, including the cementodentinal junction, apical constriction, apical foramen and anatomical/radiographic apex, are illustrated in Figure 1. Histological evidence has shown more favourable periapical tissue responses when instrumentation and obturation remain at or short of the apical constriction.⁷




Figure 1: Apical anatomy and key anatomical landmarks relevant to working length determination.

2. Biological Concept

The biological objective of WL determination is to confine cleaning, shaping and obturation to the root canal space while minimizing disruption of the apical tissues.

Over-instrumentation may push infected dentinal debris and microorganisms into the periapical tissues and can contribute to postoperative inflammation. Conversely, a WL that is excessively short may leave inadequately debrided canal space, particularly in the apical third.



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Long-term clinical studies have identified the level of root filling and the ability to instrument the canal appropriately as factors associated with treatment outcome.

3. Mechanical Concept

From a mechanical perspective, an accurately established WL permits controlled shaping of the canal and helps preserve the original anatomy.

It facilitates creation of an appropriate apical preparation and reduces the risk of procedural errors such as apical transportation, ledge formation, zipping and perforation. Accurate WL also supports controlled obturation by limiting the apical extent of filling materials.

III. METHODS OF WORKING LENGTH DETERMINATION

Methods of working length determination have progressed from tactile and radiographic techniques to electronic methods (Table 1). No method should be interpreted in isolation in every clinical situation.

The contemporary approach emphasizes the use of an electronic apex locator (EAL), with radiographic assessment when needed to confirm anatomy, identify discrepancies or evaluate complex cases.

Method	Principle	Advantages	Important limitations
Tactile method	Clinician estimates canal termination from the sensation of apical constriction/resistance.	Simple; no radiation or equipment required.	Subjective; poor reliability in wide, resorbed, immature or highly curved canals.
Radiographic method	A file is positioned in the canal and its relationship to the root apex is assessed radiographically.	Provides information on root form, curvature and file position; widely available.	Two-dimensional image; distortion and superimposition; apical foramen may not coincide with the radiographic apex.
Electronic apex locator (EAL)	Uses electrical properties of the canal/periodontal tissues to estimate the position of the apical terminus.	High clinical accuracy; reduces dependence on radiographs; useful during treatment.	Accuracy may be affected by anatomy, perforation, canal conditions and device limitations; requires correct technique.
CBCCT (adjunctive)	Three-dimensional imaging is used to assess root and canal anatomy and, in selected cases, assist length assessment.	Excellent three-dimensional anatomical information in complex cases.	Radiation exposure; not indicated routinely solely for WL estimation.

Table 1. Methods of working length determination and principal clinical considerations.

1. Radiographic Method

Radiography remains an important component of endodontic treatment. A file is placed to an estimated length and a periapical radiograph is used to assess the relationship between the file tip and the root apex.

However, the radiographic apex is not a dependable surrogate for the apical constriction because the apical foramen may be eccentric and the image is a two-dimensional representation of a three-dimensional structure.

ElAyouti et al. demonstrated that radiographic measurements could overestimate canal length and that combining radiographic and electronic measurements reduced this risk.[8]

2. Electronic Apex Locators

Electronic apex locators estimate the position of the canal terminus using electrical measurements. Contemporary multifrequency devices are less affected by the presence of irrigants than early generations and have demonstrated good clinical accuracy.



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

Systematic reviews support the clinical efficacy of EALs, although methodological limitations and heterogeneity among studies should be acknowledged.[9-11]

The EAL reading should be interpreted together with the clinical anatomy and, when indicated, radiographic findings. A discrepancy between the electronic reading and the expected anatomy should prompt reassessment rather than automatic acceptance of either measurement.

3. CBCT and Three-Dimensional Imaging

CBCT can provide valuable three-dimensional information about root morphology, canal configuration, apical curvature, resorption and other anatomical complexities.

It may therefore be useful in selected cases in which conventional imaging does not adequately characterize the anatomy. However, CBCT should not be obtained solely for routine WL determination when lower-dose or non-ionizing methods can provide the required information.[12]

IV. CLINICAL SIGNIFICANCE OF ACCURATE WORKING LENGTH

Accurate working length determination has implications for both the biological quality and technical execution of root canal treatment.

1. Prevention of Under-Instrumentation: A WL that is substantially short may leave an inadequately prepared apical canal and can compromise debridement and disinfection. The objective is not maximal apical extension but adequate treatment of the canal within an appropriate apical limit.

2. Prevention of Over-Instrumentation: Instrumentation beyond the intended apical limit may traumatize periapical tissues and facilitate extrusion of contaminated debris, irrigants or filling materials. Histological evidence supports limiting instrumentation and obturation to the region at or short of the apical constriction.

3. Improved Control of Obturation: A reproducible WL helps establish the apical extent of filling and supports a dense, controlled root filling. The level of root filling has been associated with treatment outcome in longitudinal clinical research.

4. Reduction of Procedural Errors: Maintaining the correct working length contributes to preservation of canal anatomy and reduces the likelihood of apical transportation, ledging and other preparation errors.

5. Contribution to Long-Term Prognosis: Accurate WL is one component of successful endodontic treatment. Its benefit must be considered alongside adequate microbial control, appropriate shaping and irrigation, three-dimensional obturation and a satisfactory coronal seal.

V. CONTEMPORARY CLINICAL APPROACH

A practical WL protocol begins with a reproducible coronal reference point and an initial estimate from the diagnostic image. An electronic apex locator can then be used to establish the canal length, followed by radiographic confirmation when the electronic measurement is uncertain, the anatomy is complex, or a discrepancy is present.[13]

The selected WL should remain consistent with the anatomical and clinical findings. During instrumentation, patency and working length should be rechecked when clinically indicated, particularly in curved canals or when procedural changes may alter the measurement.

VI. CONCLUSION

Working length determination is a critical step in root canal treatment because it establishes the apical extent of cleaning, shaping and obturation.

The apical constriction remains an important conceptual endpoint, but its variable anatomy makes direct clinical identification difficult. Modern electronic apex locators provide reliable assistance and have substantially improved endodontic working-length determination, while radiography remains valuable for anatomical assessment and confirmation in appropriate cases.



International Journal of Multidisciplinary Research in Science, Engineering and Technology (IJMRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)

The most defensible contemporary approach is therefore an integrated one: use the electronic apex locator as a primary measurement aid, interpret the result in the context of clinical and anatomical findings, and use radiographic or three-dimensional imaging selectively when indicated.

REFERENCES

1. Kuttler Y. Microscopic investigation of root apices. *J Am Dent Assoc.* 1955;50:544-552.
2. Dummer PMH, McGinn JH, Rees DG. The position and topography of the apical canal constriction and apical foramen. *Int Endod J.* 1984;17(4):192-198.
3. Ricucci D. Apical limit of root canal instrumentation and obturation, part 1. Literature review. *Int Endod J.* 1998;31(6):384-393.
4. Sjögren U, Hägglund B, Sundqvist G, Wing K. Factors affecting the long-term results of endodontic treatment. *J Endod.* 1990;16(10):498-504.
5. Ng YL, Mann V, Rahbaran S, Lewsey J, Gulabivala K. Outcome of primary root canal treatment: systematic review of the literature – Part 1. Effects of study characteristics on probability of success. *Int Endod J.* 2007;40(12):921-939.
6. Ng YL, Mann V, Rahbaran S, Lewsey J, Gulabivala K. Outcome of primary root canal treatment: systematic review of the literature – Part 2. Influence of clinical factors. *Int Endod J.* 2008;41(1):6-31.
7. Ricucci D, Langeland K. Apical limit of root canal instrumentation and obturation, part 2. A histological study. *Int Endod J.* 1998;31(6):394-409.
8. ElAyouti A, Weiger R, Löst C. The ability of Root ZX apex locator to reduce the frequency of overestimated radiographic working length. *J Endod.* 2002;28(2):116-119.
9. Martins JNR, Marques D, Mata A, Caramês J. Clinical efficacy of electronic apex locators: systematic review. *J Endod.* 2014;40(6):759-777.
10. Tsesis I, Blazer T, Ben-Izhack G, Taschieri S, Del Fabbro M, Corbella S, et al. The precision of electronic apex locators in working length determination: a systematic review and meta-analysis of the literature. *J Endod.* 2015;41(11):1818-1823.
11. Pisano M, Sangiovanni G, Frucci E, Scorziello M, De Benedetto G, Iandolo A. Evaluation of the accuracy of electronic apex locators in modern endodontics: an umbrella review. *Medicina (Kaunas).* 2024;60(10):1709.
12. Patel S, Durack C, Abella F, Shemesh H, Roig M, Lemberg K. Cone beam computed tomography in endodontics – a review. *Int Endod J.* 2015;48(1):3-15.
13. Kaur G, Thomas AR, Samson RS, et al. Efficacy of electronic apex locators in comparison with intraoral radiographs in working length determination: a systematic review and meta-analysis. *BMC Oral Health.* 2024;24:532.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY RESEARCH IN SCIENCE, ENGINEERING AND TECHNOLOGY

| Mobile No: +91-6381907438 | Whatsapp: +91-6381907438 | ijmrset@gmail.com |

www.ijmrset.com